

SIQENS EcoCabinet

Energy for your off-grid projects

As a plug-and-play system, the SIQENS EcoCabinet generates energy reliably – be it in locations without connection to the power grid, or as a backup to critical infrastructures. Each cabinet is delivered as a ready-to-run system – fully equipped with SIQENS fuel cell, battery, power distribution with fuses, and methanol supply. The silent and efficient operation protects residents and the environment from noise and emissions – both in residential areas and in remote regions. Thanks to our patented fuel cell technology, you will not only save fuel during operation, but also reduce your carbon footprint.

Depending on the configuration, the system covers peak loads of up to 4.8 kW. The SIQENS Ecoport 800 charges the built-in battery with up to 19.2 kWh of energy per day. Optionally, the cabinet can be extended with a solar panel and a charge controller.

Independence from fossil fuels

We replace conventional generators with our patented fuel cell technology. You and your customers benefit from easy handling, minimal maintenance requirements and low fuel consumption – while contributing directly to the global reduction of carbon emissions. Using renewable methanol allows for a carbon-neutral operation. With the SIQENS Ecoport 800 you are independent from fossil fuels. In short: a sustainable and economical solution that meets the challenges of the 21st century.

SI**⊕=**NS



economical.

Reduces fuel consumption and maintenance

efficient.

Direct conversion of fuel into electrical energy



silent.

Protects employees, residents and nature

replacing diesel generators. with SIQENS fuel cells.

SI@=NS


SIQENS GmbH

Landsberger Straße 318D 80687 Munich, +49 89 4524463 0 sales@siqens.de, www.siqens.de

Technical Data – SIQENS EcoCabinet

EcoCabinet		2000C	4000C
Power output (max.)		bis 4.8 kW	
Nominal voltage (depending on configuration)		12 V DC 24 V DC 48 V DC 230 V AC	
Fuel cell		SIQENS Ecoport 800	
Fuel		Methanol (IMPCA, > 99.85%)	
Consumption		0.6 l/kWh	
Electrical efficiency		38%	
Charging capacity per day	Primary Power	12 kWh	
	Backup Power	19.2 kWh	
Battery type		Li-NMC	
Battery size		2,046 Wh	4,092 Wh
Starting temperature		- 20°C / + 50°C	
Storage temperature		- 20°C / + 50°C	
Noise level (at 7 m)		< 45 dB(A)	
Exhaust temperature		< 65 °C	
Fuel supply		3 x SIQENS QE Charge	
Storage capacity		75 l (ca. 126 kWh)	
Dimensions (L x W x H)		1,250 x 1,355 x 550 mm	
Weight		200 kg	220 kg
Protection class		IP 54	
Monitoring & Control		Online platform (Win/Mac/iOS/Android) Control Panel	
Optional equipment		Charge controller, solar panel	

Further configuration available upon request.





Scale SIQENS EcoCabinet

